



v5Wp



Removable SSD



Aluminium Die-cast
Sleek Enclosure



IP54 on Whole Unit
(without Peripherals)

SENIOR

Senor v5WP Series Intelligent Touch POS Terminal

Senor v5WP Series is designed to meet the functional requirements of the users as well as having the modern appeal to enhance varied ambiances of the operating environment.




* Silver colour is by order.



The design concept complements a user's workflow and operation of the POS unit thereby increasing productivity and efficiency. A variety of POS peripherals is available, including optional customer display screen and tool free interchangeable coloured bezel.

With its **elegant design**, v5WP is ideally suited for the retail and hospitality industries' flagship and pop-up stores.

I/O Connector



v5WP J64 / T315

3 x COM | 1 x Cash Drawer | 6 x USB
1 x LAN | 1 x HDMI

Optional Accessories



MSR / 2D Scanner
/ RFID Reader




Coloured Frame* / Unit*



Integrated 2D Barcode
Scanner



Integrated Printer/Scanner



2D Barcode Scanner
/ RFID (NFC)



VFD / 10" / 15"
Customer Display



Upward Facing Display*



7" LCD
/ Customised Logo



Features



60 Degree Tilt Adjustment



Internal Power Supply
Powering POS & Printer



Fanless / Ventless / Screwless

* Coloured units are for special order only.



SPECIFICATIONS

	v5WP N115	v5WP T315
PROCESSOR	Intel Quad Core N95 1.7 GHz (Up to 3.4 GHz)	Intel Dual Core i3-1215U 1.2 GHz (Turbo Boost up to 4.4 GHz)
SYSTEM MEMORY	8 GB DDR4 RAM (up to 32 GB)	8 GB DDR4 RAM (up to 64 GB)
STORAGE DEVICE	1 x 128 GB removable M.2 PCIe 2280 SSD 1 x 128 GB M.2 SATA 2242 expansion socket	1 x 128 GB removable M.2 PCIe 2280 SSD 1 x 128 GB M.2 PCIe 2280 expansion socket

DISPLAY

SIZE / RESOLUTION	15" TFT LCD (LED backlight) / 1024 x 768 pixels
BRIGHTNESS	350 cd/m ²
TOUCH SCREEN PANEL	Projected capacitive touch

I/O INTERFACE

USB PORT	4 x USB 2.0, 2 x USB 3.0	4 x USB 2.0, 2 x USB 3.0
SERIAL PORT	2 x DB9, 1 x RJ50	2 x DB9, 1 x RJ50
VIDEO PORT	1 x HDMI	1 x HDMI
AUDIO PORT	2 x built-in speakers / 1 x 3.5 mm mic in/line out	
CASH DRAWER PORT	1 x RJ12 (24 V)	
ETHERNET PORT	1 x RJ45 10/100/1000 Mbps	

OPERATING SYSTEM

WINDOWS	10 IoT / 10 Pro / 11 IoT / 11 Pro	10 IoT / 10 Pro / 11 IoT / 11 Pro
---------	-----------------------------------	-----------------------------------

ENVIRONMENT & MECHANICAL SPECIFICATIONS

DIMENSIONS & WEIGHT	366 (W) x 495 (H) x 245 (D) mm 10 kg
CHASSIS MATERIAL	Die-cast aluminium
IP RATING	IP54 whole unit
TEMPERATURE	Operating: 0°C to 40°C Storage: -20°C to 60°C
HUMIDITY	Operating: 0% to 80% Storage: 10% to 90% (non-condensing)
POWER CONSUMPTION	24 V / 5 A, internal power adaptor powering POS & printer, 100-240 V, 50/60 Hz

MODEL OPTIONS

INTEGRATED CARD READERS	3-track MSR, RFID (125 kHz, 13.56 MHz), IC card reader
CUSTOMER DISPLAY	VFD / 7" LCD / 10" LCD / 15" LCD
INTEGRATED BARCODE READER	1D/2D barcode reader
WIRELESS LAN	Integrated 802.11 b/g/n/ac + Bluetooth 4.1
COLOURED FRAME	Black (standard) White / Red / Green / Purple / Teal Blue (special order)
COLOURED UNIT	Black (standard) Silver (special order)

ALL PRODUCT SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

The Senor Building

65 & 67 Weaver Street
Coopers Plains
QLD 4108, Australia

www.senortech.com.au

P: +61 7 3275 5888
sales@senortech.com.au



Quality. Safety. Versatility.